#### Radnor Township



301 IVEN AVENUE WAYNE, PA 19087 610-688-5600

# **Retail Food Facility Inspection Report**

Facility: PIPELINE TACO Facility ID: 136694

2/5/2019 Blase Contino (Signature

on File)

Owner: ALBERT RANDA Address: 165 E Lancaster AVE City/State: Wayne PA

Zip: 19087 County: Delaware Region: Region 7

Phone: (610) 225-8226

Insp. ID: 719775 Insp. Date: 2/5/2019 Insp. Reason: Opening No. of Risk Factors: 2 No. of Repeat Risk Factors: 0 Overall Compliance: IN

2/5/2019

Mane Carloser

9:30 AM 10:15 AM

#### FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS Risk Factors are important practices and procedures identified as the most prevalent contributing factors of foodborne illness or injury. Public Health Intervention are control measures to prevent foodborne illness or injury. IN = In Compliance, OUT = Out of Compliance, N/O = Not Observed, N/A = Not Applicable, C = Corrected On Site, R = Repeat Violation Supervision **Protection From Contamination** 1. Person in charge present, demonstrates knowledge, & 14. Food separated & protected performs duties Out Food-contact surfaces: cleaned & sanitized **Employee Health** 16. Proper disposition of returned, previously served, In reconditioned, & unsafe food 2. Management, food employee & conditional food employee In Time/Temperature Control for Safety knowledge, responsibilities & reporting In 3. Proper use of restriction & exclusion 17. Proper cooking time & temperatures N/O 4. Procedure for responding to vomiting & diarrheal events In N/O 18. Proper reheating procedures for hot holding **Good Hygienic Practices** 19. Proper cooling time & temperatures N/O N/O 5. Proper eating, tasting, drinking, or tobacco use Out, C 20. Proper hot holding temperatures 21. Proper cold holding temperatures In 6. No discharge from eyes, nose, & mouth In 22. Proper date marking & disposition ln **Preventing Contamination by Hands** N/A 23. Time as a public health control: procedures & records 7. Hands clean & properly washed In Consumer Advisory 8. No bare hand contact with RTE food or a pre-approved In alternate method properly followed N/A 24. Consumer advisory provided for raw / undercooked foods 9. Adequate handwashing sinks properly supplied & accessible In Highly Susceptible Population **Approved Source** 25. Pasteurized foods used; prohibited foods not offered In 10. Food obtained from approved source In Food/Color Additives & Toxic Substances 11. Food received at proper temperature N/O 26. Food additives: approved & properly used N/A 12. Food in good condition, safe, & unadulterated In 27. Toxic substances properly identified, stored & used; held for In 13. Required records available: shellstock tags, parasite N/A retail sale, properly stored Conformance with Approved Procedures Compliance with variance, specialized process, reduced oxygen packaging criteria or HACCP plan N/A **GOOD RETAIL PRACTICES** Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. **Proper Use of Utensils** Safe Food & Water 29. Pasteurized eggs used where required 42. In-use utensils: properly stored In In 43. Utensils, equipment & linens: properly stored, dried & In 30. Water & ice from approved source In 31. Variance obtained for specialized processing methods ln In 44. Single-use/single-service articles: properly stored & used **Food Temperature Control** 45. Gloves used properly In 32. Proper cooling methods used; adequate equipment for In Utensils, Equipment & Vending temperature control 46. Food & non-food contact surfaces cleanable, properly Out 33. Plant food properly cooked for hot holding ln designed, constructed, & used 34. Approved thawing methods used In 47. Warewashing facilities: installed, maintained & used; test ln 35. Thermometers provided & accurate ln Food Identification 48. Non-food contact surfaces clean Out 36. Food properly labeled; original container In **Physical Facilities Prevention of Food Contamination** 49. Hot & cold water available; adequate pressure In 37. Insects, rodents & animals not present In 50. Plumbing installed; proper backflow devices In Contamination prevented during food preparation, storage & ln 51. Sewage & waste water properly disposed ln 52. Toilet facilities: properly constructed, supplied, cleaned In 39. Personal cleanliness ln 53. Garbage/refuse properly disposed; facilities maintained In 40. Wiping cloths: properly used & stored In 54. Physical facilities installed, maintained, & clean Out 41. Washing fruit & vegetables In 55. Adequate ventilation & lighting; designated areas used In FOOD EMPLOYEE CERTIFICATION Certificate **Certified Food Employee** 57. Certified food manager certificate: valid & properly displayed 56. Certified Food Employee employed; acts as PIC; accessible In Visit Date Person In Charge Person In Charge Sig. Date Sanitarian Sanitarian Signature Sig. Date

2/5/2019 Marie Carbonara



## Radnor Township

301 IVEN AVENUE WAYNE, PA 19087 610-688-5600

## **Retail Food Facility Inspection Report**

Facility: PIPELINE TACO Facility ID: 136694 Owner: ALBERT RANDA Address: 165 E Lancaster AVE

City/State: Wayne PA
Zip: 19087 County: Delaware Region: Region 7
Phone: (610) 225-8226

Insp. ID: 719775 Insp. Date: 2/5/2019 Insp. Reason: Opening No. of Risk Factors: 2 No. of Repeat Risk Factors: 0 Overall Compliance: IN

| TEMPERATURE OBSERVATIONS |              |      |          |                |      |       |              |      |  |
|--------------------------|--------------|------|----------|----------------|------|-------|--------------|------|--|
| Item                     | Location     | Temp | Item     | Location       | Temp | Item  | Location     | Temp |  |
| chicken                  | Bain Marie   | 36°F | tomatoes | Cold-Hold Unit | 4    | Other | Refrigerator | 32°F |  |
| Other                    | Refrigerator | 31°F |          |                | •    |       |              | •    |  |

| OBSERVATIONS AND CORRECTIVE ACTIONS  Violations cited in this report must be corrected within the timeframes below |                   |   |                 |                  |  |  |  |  |
|--|-------------------|---|-----------------|------------------|--|--|--|--|
| Item<br>Number   | Violation of Code | Comment   | Correct By Date | Repeat Violation |  |  |  |  |
| 5.   | 2 - 401.11        | Food Employee observed eating or tasting food in the ware washing area while prepping the 3 bay sink -COS   |                 |                  |  |  |  |  |
| 15.  | 4 - 501.114       | The chlorine concentration in the sanitizing solution of the 3-bay warewash sink was 0 ppm, rather than 50-100 ppm as required-COS                        |                 |                  |  |  |  |  |
| 15.  | 4 - 601.11(A)     | Inside refrigerator in back room, a food contact surface, was observed to have food residue and was not clean to sight and touch.                         |                 |                  |  |  |  |  |
| 46.  | 4 - 101.11        | Food contact surface, wood table used to air dry after ware washing, is not smooth, easily cleanable and/or resistant to pitting, cracking or scratching. |                 |                  |  |  |  |  |
| 48.  | 4 - 602.13        | Non-food contact surfaces, green kitchen door and wall around it, not cleaned at a frequency to preclude accumulation of dirt and soil.                   |                 |                  |  |  |  |  |
| 48.  | 4 - 602.13        | Storage cabinets under counters, and walls throughout storage areas not cleaned at a frequency to preclude accumulation of dirt and soil.                 |                 |                  |  |  |  |  |
| 48.  | 4 - 602.13        | Syrup spilled inside cabinet under soda machine.  |                 |                  |  |  |  |  |
| 54.  | 6 - 501.11        | Ceiling tiles missing in the ware washing area, and need replaced.  |                 |                  |  |  |  |  |
| 54.  | 6 - 501.11        | Old unused equipment and unnecessary clutter stored in back storage room, basement steps and by back door area, should be removed from food facility.     |                 |                  |  |  |  |  |
| 54.  | 6 - 501.11        | Ceiling tiles dirty and need to be replaced.  |                 | 4                |  |  |  |  |

#### **PUBLISHED COMMENTS**

Today's inspection was a final due to a change of ownership. Code Official on site for Certificate of Occupancy inspection.

Violations noted above should be corrected within 48 hours, with exception of replacing table in ware washing area, which should be corrected within 30 days.

Violations not corrected by first follow up inspection may result in additional fines or fees.

The compliance status of this facility and a copy of this inspection report will be posted on the PA Department of Agriculture website.