



FOOD ESTABLISHMENT INSPECTION REPORT

RADNOR TOWNSHIP
301 Iven Avenue - Wayne, PA 19087
Phone (610) 688-5600

FOOD ESTABLISHMENT INFORMATION

<u>FE NAME</u>				<u>LICENSE</u>
HONEYGROW RADNOR				FE00001249
<u>ADDRESS</u>			<u>INSP. TYPE</u>	<u>INSP. NUMBER</u>
230 N RADNOR CHESTER RD	ST DAVIDS	PA 19087	FEI	6349
<u>MANAGER NAME</u>	<u>INSP. DATE</u>	<u>TIME IN</u>	<u>TIME OUT</u>	<u>PURPOSE</u>
JUSTIN ROSENBERG	11/23/2015	10:00 AM		COMPLAINT
	<u>OVERALL COMPLIANCE</u>	<u>RISK CATEGORY</u>		

OBSERVATIONS AND CORRECTIVE ACTIONS

VIOLATIONS CITED IN THIS REPORT MUST BE CORRECTED WITHIN THE TIME FRAMES BELOW.

COMPLIANCE STATUS: OUT = not in compliance, N/O = not observed, N/A = not applicable, C = corrected on site, R = repeated

<u>COMP</u>	<u>VIOLATION OF CODE</u>	<u>NEW/OLD VIOLATION</u>
<u>STAT</u>	<u>COMMENTS</u>	<u>CORRECT BY DATE</u>

2. CERTIFIED FOOD PROTECTION MANAGER

OUT 2. 46-1141 License Requirement
POST OUTDOOR DINING LICENSE, AND MOST RECENT FOOD SAFETY INSPECTION REPORT WHERE
CONSUMER CAN VIEW.

3. MANAGEMENT AND FOOD EMPLOYEE KNOWLEDGE, AND CONDITIONAL EMPLOYEE; RESPONSIBILITIES AND REPORTING

3. 46-2-103.11(M) Person in Charge-Duties (Pf) OLD VIOLATION
THE NUMBER OF APPROVED SEATS ARE EXCEEDED. MUST COMPLY WITH SEAT LIMIT

53. TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, CLEAN

OUT 53. 46-6-501.19 Closing Toilet Room Doors (C)
THE DOOR HARDWARE TO THE MENS ROOM IS LOOSE AND NEEDS TIGHTENED


55. PHYSICAL FACILITIES INSTALLED, MAINTAINED, AND CLEAN

OUT 55. 46-6-201.12 Floors, Walls, and Ceilings, Utility Lines (C)
MAY NOT BLOCK THE FUSE BOXES

OUT 55. 46-6-201.12 Floors, Walls, and Ceilings, Utility Lines (C)
THE FLOOR DRAIN UNDER THE ICE MACHINE NEEDS RECONNECTED.

OUT 55. 46-6-201.11 Floors, Walls and Ceilings-Cleanability (C)
THE FLOORS UNDER THE COOKLINE AND THE SERVICE LINE ALONG WITH SHELVING NEEDS
CLEANING SWEEP, MOP, AND SANITIZE

OUT 55. 46-6-201.17 Walls and Ceilings, Attachments (C)
SAFETY CABLES ON EQUIPMENT MUST BE ATTACHED



FOOD ESTABLISHMENT INSPECTION REPORT

RADNOR TOWNSHIP
301 Iven Avenue - Wayne, PA 19087
Phone (610) 688-5600

FOOD ESTABLISHMENT INFORMATION

<u>FE NAME</u>				<u>LICENSE</u>
HONEYGROW RADNOR				FE00001249
<u>ADDRESS</u>			<u>INSP. TYPE</u>	<u>INSP. NUMBER</u>
230 N RADNOR CHESTER RD	ST DAVIDS	PA 19087	FEI	6349
<u>MANAGER NAME</u>	<u>INSP. DATE</u>	<u>TIME IN</u>	<u>TIME OUT</u>	<u>PURPOSE</u>
JUSTIN ROSENBERG	11/23/2015	10:00 AM		COMPLAINT
	<u>OVERALL COMPLIANCE</u>	<u>RISK CATEGORY</u>		

OBSERVATIONS AND CORRECTIVE ACTIONS

VIOLATIONS CITED IN THIS REPORT MUST BE CORRECTED WITHIN THE TIME FRAMES BELOW.

COMPLIANCE STATUS: OUT = not in compliance, N/O = not observed, N/A = not applicable, C = corrected on site, R = repeated

<u>COMP</u>	<u>VIOLATION OF CODE</u>	<u>NEW/OLD VIOLATION</u>
<u>STAT</u>	<u>COMMENTS</u>	<u>CORRECT BY DATE</u>


FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

COLD / HOT HOLDING AND TEMPERATURES		WAREWASHING FACILITIES		
HOLDING LOCATION	TEMP	TYPE	SANITIZER	PPM
BUTTERMILK	41.00	DISHWASHER	CHLORINE	50
SHRIMP	36.00	SANITIZING BUCKETS	CHLORINE N/O	0
CHICKEN	35.00			
MUSHROOM	35.00			
MIXED VEGETABLES	35.20			
BEEF	147.00			

REMARKS

THIS IS A COMPLAINT INSPECTION WHEREAS A CUSTOMER FOUND A FOREIGN OBJECT IN HIS SALAD. VIOLATIONS SHALL BE CORRECTED WITHIN 24 HOURS OR PRIOR TO OPENING FOR BUSINESS ON TUESDAY NOVEMBER 24, 2015 WITH APPROVAL FROM THE HEALTH OFFICER. RESULTS OF FOOD SAFETY INSPECTIONS SHALL BE PLACED ON THE RADNOR WEBSITE WITHIN 30 DAYS.

SIGNATURES

Person in Charge (Signature):		11/23/2015
Inspector (Signature):	 Larry Taltoan	11/23/2015