

FOOD ESTABLISHMENT INSPECTION REPORT

RADNOR TOWNSHIP

301 Iven Avenue - Wayne, PA 19087 Phone (610) 688-5600

FOOD ESTABLISHMENT INFORMATION

FE NAME

HARVEST RADNOR LLC

ADDRESS

555 E LANCASTER AV

MANAGER NAME
GREG KESHGEGIAN

ST DAVIDS

PA 19087

FEI

6506

LICENSE

FE00001319

INSP. TYPE INSP. NUMBER

INSP. DATE 6/6/2016

TIME IN TIME OUT

SITE

PURPOSE

ODV.

OVERALL COMPLIANCE

RISK CATEGORY

IN

OBSERVATONS AND CORRECTIVE ACTIONS

VIOLATIONS CITED IN THIS REPORT MUST BE CORRECTED WITHIN THE TIME FRAMES BELOW.

COMPLIANCE STATUS: OUT = not in compliance, N/O = not observed, N/A = not applicable, C = corrected on site, R = repeated

COMP STAT **VIOLATION OF CODE**

COMMENTS

NEW/OLD VIOLATION

CORRECT BY DATE

0. No PA Food Code Violations

OUT

0. No PA Food Code Violations

CORRECTION OF ANY ITEMS IDENTIFIED BY THE BUILDING INSPECTOR/FIRE MARSHALL TO OBTAIN THE CERTIFICATE OF OCCUPANCY & OCCUPANCY LOAD.

36. THERMOMETERS PROVIDED AND ACCURATE

ALL COLD UNITS MAINTAINING TEMPERATURE

OUT

36. 46-4-302.12 Food Temperature Measuring Devices (Pf)
INSTALL WHERE THEY ARE EASILY READABLE

53. TOILET FACILITIES: PROPERLY CONSTRUCTED, SUPPLIED, CLEAN

cos

53. 46-6-501.19 Closing Toilet Room Doors (C)

THE LOCKS ON SEVERAL TOILET ROOM DOORS DO NOT LATCH

55. PHYSICAL FACILITIES INSTALLED, MAINTAINED, AND CLEAN

OUT

55, 46-6-101,11 Surface Characteristics-Indoor Areas (C)

A THOROUGH FINAL CLEANING IS NEEDED

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

COLD / HOT HOLDING AND TEMPERATURES
WAREWASHING FACILITIES

HOLDING LOCATION
TEMP

ALL HOT UNITS MAINTAINING TEMPERATURE
135.00 →

41.00 -

REMARKS

THIS IS A PRELIMINARY WALK THROUGH TO IDENTIFY ITEMS IN NEED OF CORRECTION PRIOR TO A FINAL INSPECTION. THERE IS NO FOOD IN THE COOLING UNITS. ALL HOT & COLD STORAGE UNITS ARE MAINTAINING TEMPERATURES.

SIGNATURES Person in Charge (Signature): Inspector (Signature): ALL HOT & COLLING UNITS ALL MAINTAINES FLAT LEVEL COLLING U