



FOOD ESTABLISHMENT INSPECTION REPORT

RADNOR TOWNSHIP
301 Iven Avenue - Wayne, PA 19087
Phone (610) 688-5600

FOOD ESTABLISHMENT INFORMATION


<u>FE NAME</u>				<u>LICENSE</u>	
LOVECCHIOS PIZZA				FE00001323	
<u>ADDRESS</u>				<u>INSP. TYPE</u>	<u>INSP. NUMBER</u>
192	LANDOVER RD	BRYN MAWR	PA 19010	FEI	6530
<u>MANAGER NAME</u>		<u>INSP. DATE</u>	<u>TIME IN</u>	<u>TIME OUT</u>	<u>PURPOSE</u>
NEIL DESAI		8/3/2016			FINAL PRE-OPENING
<u>OVERALL COMPLIANCE</u>			<u>RISK CATEGORY</u>		
OUT					

OBSERVATIONS AND CORRECTIVE ACTIONS

VIOLATIONS CITED IN THIS REPORT MUST BE CORRECTED WITHIN THE TIME FRAMES BELOW.

COMPLIANCE STATUS: OUT = not in compliance, N/O = not observed, N/A = not applicable, C = corrected on site, R = repeated

<u>COMP</u>	<u>VIOLATION OF CODE</u>	<u>NEW/OLD VIOLATION</u>
<u>STAT</u>	<u>COMMENTS</u>	<u>CORRECT BY DATE</u>
10. ADEQUATE HANDWASHING SINKS, PROPERLY SUPPLIED AND ACCESSIBLE		
OUT	10. 46-5-205.11 Using a Handwashing Sink-Operation and Maintenance (Pf) SINK DRAINS SLOWLY	
47. FOOD AND NON-FOOD-CONTACT SURFACES CLEANABLE, PROPERLY DESIGNED, CONSTRUCTED AND USED		
OUT	47. 46-4-202.11 Food-Contact Surfaces-Cleanability (Pf) CLEAN ALL FOOD CONTACT SURFACES	
OUT	47. 46- (C) 4-202.15 Can Openers CLEAN THE COMMERCIAL CAN OPENER	
51. PLUMBING INSTALLED; PROPER BACKFLOW DEVICES		
OUT	51. 46-5-205.15 System Maintained in Good Repair (P, C) ADJUST THE WATER TEMPERATURE TO BETWEEN 80f - 100f	
52. SEWAGE AND WASTE WATER PROPERLY DISPOSED		
OUT	52. 46-5-402.12 Grease Trap (C) CLEAN TRAP AND RE-SECURE THE COVER ON THE TOP	
55. PHYSICAL FACILITIES INSTALLED, MAINTAINED, AND CLEAN		
OUT	55. 46-6-201.11 Floors, Walls and Ceilings-Cleanability (C) CLEAN THE WALLS, & FLOORS UNDER THE STOVE, EQUIPMENT AND ALSO THE BASEMENT	
OUT	55. 46-6-201.16 W all and Ceiling Coverings and Coatings (C) REPLACE THE MISSING CEILING TILES	
56. ADEQUATE VENTILATION AND LIGHTING; DESIGNATED AREAS USED		
OUT	56. 46-6-202.11 Light Bulbs, Protective Shielding (C) INSTALL THE MISSINGCOVERS OVER SEVERAL OUTLETS	



FOOD ESTABLISHMENT INSPECTION REPORT

RADNOR TOWNSHIP
301 Iven Avenue - Wayne, PA 19087
Phone (610) 688-5600

FOOD ESTABLISHMENT INFORMATION

<u>FE NAME</u>					<u>LICENSE</u>
LOVECCHIOS PIZZA					FE00001323
<u>ADDRESS</u>				<u>INSP. TYPE</u>	<u>INSP. NUMBER</u>
192 LANDOVER RD	BRYN MAWR	PA	19010	FEI	6530
<u>MANAGER NAME</u>	<u>INSP. DATE</u>	<u>TIME IN</u>	<u>TIME OUT</u>	<u>PURPOSE</u>	
NEIL DESAI	8/3/2016			FINAL PRE-OPENING	
<u>OVERALL COMPLIANCE</u>		<u>RISK CATEGORY</u>			
OUT					

OBSERVATIONS AND CORRECTIVE ACTIONS

VIOLATIONS CITED IN THIS REPORT MUST BE CORRECTED WITHIN THE TIME FRAMES BELOW.

COMPLIANCE STATUS: OUT = not in compliance, N/O = not observed, N/A = not applicable, C = corrected on site, R = repeated

<u>COMP</u>	<u>VIOLATION OF CODE</u>	<u>NEW/OLD VIOLATION</u>
<u>STAT</u>	<u>COMMENTS</u>	<u>CORRECT BY DATE</u>

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

COLD / HOT HOLDING AND TEMPERATURES		WAREWASHING FACILITIES		
<u>HOLDING LOCATION</u>	<u>TEMP</u>	<u>TYPE</u>	<u>SANITIZER</u>	<u>PPM</u>
TUNA	36.00	3 BAY SINK	CHLORINE N/O	0
LUNCH MEAT	35.00	SANITIZING BUCKETS	CHLORINE	100
PIZZA SAUCE	37.10			

REMARKS

* NEED A LETTER OF SURRENDER OF THE FOOD LICENSE FROM THE CURRENT FOOD OPERATOR. * ALSO MUST COMPLY WITH THE VIOLATIONS THAT WERE IDENTIFIED BY THE BUILDING INSPECTOR. * THE CHANGE OF OPERATOR WILL NOT BE APPROVED WITHOUT PASSING THE FOOD SAFETY INSPECTION & BUILDING INSPECTION.

SIGNATURES

Person in Charge (Signature): _____ 8/16/2016

Inspector (Signature): Larry Taltoan 8/16/2016
Larry Taltoan



FOOD ESTABLISHMENT INSPECTION REPORT

RADNOR TOWNSHIP
301 Iven Avenue - Wayne, PA 19087
Phone (610) 688-5600

FOOD ESTABLISHMENT INFORMATION

<u>FE NAME</u>				<u>LICENSE</u>	
LOVECCHIOS PIZZA				FE00001323	
<u>ADDRESS</u>				<u>INSP. TYPE</u> <u>INSP. NUMBER</u>	
192	LANDOVER RD	BRYN MAWR	PA 19010	FEI	6531
<u>MANAGER NAME</u>		<u>INSP. DATE</u>	<u>TIME IN</u>	<u>TIME OUT</u>	<u>PURPOSE</u>
NEIL DESAI		8/4/2016			NEW ESTABLISHMENT
<u>OVERALL COMPLIANCE</u>			<u>RISK CATEGORY</u>		

OBSERVATIONS AND CORRECTIVE ACTIONS

VIOLATIONS CITED IN THIS REPORT MUST BE CORRECTED WITHIN THE TIME FRAMES BELOW.

COMPLIANCE STATUS: OUT = not in compliance, N/O = not observed, N/A = not applicable, C = corrected on site, R = repeated

<u>COMP</u>	<u>VIOLATION OF CODE</u>	<u>NEW/OLD VIOLATION</u>
<u>STAT</u>	<u>COMMENTS</u>	<u>CORRECT BY DATE</u>

0. No PA Food Code Violations

OUT 0. No PA Food Code Violations
SEE NARRATIVE

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

COLD / HOT HOLDING AND TEMPERATURES		WAREWASHING FACILITIES		
<u>HOLDING LOCATION</u>	<u>TEMP</u>	<u>TYPE</u>	<u>SANITIZER</u>	<u>PPM</u>
PIZZA SAUCE	38.00	3 BAY SINK	CHLORINE	75
SAUSAGE & PEPPERONI	38.00	SANITIZING BUCKETS	CHLORINE	75

REMARKS

* SUFFICIENT PROGRESS HAS BEEN MADE TO ALLOW THE NEW OWNER TO OPERATE. AS OF AUGUST 4, 2016 THE FORMER BUSINESS OWNER DID SURRENDER HIS FOOD LICENSE WHICH PROVIDED THE OPPORTUNITY FOR THE NEW OWNER TO TAKE OVER THE EXISTING BUSINESS. THE REMAINING ITEMS WHICH WERE MINOR BUILDING CODE ISSUES SHALL BE CORRECTED WITHIN 2 WEEKS.

SIGNATURES

Person in Charge (Signature): _____ 8/16/2016

Inspector (Signature): Larry Taltoan 8/16/2016
Larry Taltoan