RETAIL FOOD FACILITY INSPECTION REPORT

RADNOR TOWNHS			# Risk Factor Violations # Repeat Risk Factor Violations	DATE TIME IN	02/24/17 02:00PM
WAYNE, PA 19087			Overall Compliance Status	TIME OUT	03:20PM
Food Facility		Address	City/State	Zip	Phone #
PIZZ	A HUT	1084 E. LANCASTER AVENUE	ROSEMONT, PA	19010	
Registration #	Owner		Purpose of Inspection (choose one)	License Type	Risk Category
FE00001233	F	RAENESHIA PERKINS, MANAGER	Routine	Retail	

FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Risk Factors are important practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury.

Public Health interventions are control measures to prevent foodborne illness or injury.

		Demonstration of Knowledge				Protection from Contamination	1000
L	IN	Person in charge, demonstrates knowledge & performs duties	N/A	14	IN	Food separated & protected	N/A
		Employee Health		15	IN	Food contact surfaces: cleaned and sanitized	N/A
	IN	Management, food employee & conditional employee; knowledge, responsibilities & reporting	N/A	16	IN	Proper disposition of returned, previously served, reconditioned and unsafe food.	N/A
	IN	Proper use of reporting; restriction & exclusion	N/A			Time/Temperature Control for Safety	
ı		Procedures for responding to vomiting & diarrheal events		17	IN	Proper cooking time & temperature	N/A
	IN	Good Hygienic Practices	N/A	18	IN	Proper reheating procedures for hot holding	N/A
	IN	Proper eating, tasting, drinking or tobacco use	N/A	19	IN	Proper cooling time & temperature	N/A
	IN	No discharge from eyes, nose & mouth	N/A	20	IN	Proper hot holding & temperatures	N/A
		Preventing Contamination by Hands		21	IN	Proper cold holding & temperatures	N/A
•	iN	Hands clean & properly washed	N/A	22	IN	Proper data marking & disposition	N/A
1	IN	No bare hand contact with RTE foods or pre-approved alternate method properly followed	N/A	23	IN	Time as a public health control: procedures & record	N/A
)	IN	Adequate handwashing sinks properly supplied and accessible	N/A			Consumer Advisory	,
		Approved Source		24	IN	Consumer advisory provided for raw/undercooked foods	N/A
0	IN	Food obtained from approved source	N/A			Highly Susceptible Population	•
1	IN	Food received at proper temperature	N/A	25	IN	Pasteurized food used; prohibited foods not offered	N/A
2	IN	Food in good condition, safe & unadulterated	N/A			Food/Color Additives & Toxic Substances	
3	IN	Required records available, shellstock tags, parasite	N/A	26	IN	Food/Color additives: approved & properly used	N/A
	L	,	1	27	IN	Toxic substances properly identified, stored & used	N/A
						Conformance with Approved Procedures	
	F	Reset Form		28	IN	Compliance with variance/specialized process/HACCP	N/A

GOOD RETAIL PRACTICES

Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into food.

		Safe Food & Water				Proper Use of Utensils	
9	IN	Pasteurized eggs used where required	N/A	42	IN	In-Use utensils; properly stored	N/A
0	IN	Water & Ice from approved source	N/A	43	IN	Utensils, equipment & linens; properly stored, dried & handled	N/A
1	IN	Variance obtained for specialized processing methods	N/A	44	IN	Single-use/single-service articles: properly stored & used	N/A
		Food Temperature Control		45	IN	Gloves used properly	N/A
2	IN	Proper cooling methods used; adequate equipment for temperature control	N/A			Utensils, Equipment & Vending	
13	IN	Plant food properly cooked for hot holding	N/A	46	IN	Food & non-food contact surfaces cleanable, properly designed, constructed, & used	N/A
4	IN	Approved thawing methods used	N/A	47	IN	Warewashing facilities; installed, maintained & used; test	N/A
5	IN	Thermometers provided & accurate	N/A	48	IN	Non-food contact surfaces clean	N/A
		Food Identification				Physical Facilities	
6	IN	Food properly labeled; original container	N/A	49	IN	Hot & cold water available: adequate pressure	N/A
		Prevention of Food Contamination		50	оит	Plumbing installed: installed, maintained & used; test	N/A
37	IN	Insects, rodents, & animals not present	N/A	51	IN	Sewage & waste water properly disposed	N/A
8	iN	Contamination prevented during food preparation, storage & display	N/A	52	IN	Toilet facilities; properly constructed, supplied, cleaned	N/A
9	IN	Personal cleanliness	N/A	53	IN	Garbage & refuse properly disposed: facilities maintained	N/A
10	IN	Wipe clothes; properly used & stored	N/A	54	OUT	Physical facilities installed, maintained & clean	N/A
11	IN	Washing fruits & vegetables	N/A	55	OUT	Adequate ventilation & lighting: designated areas used	N/A

FOOD EMPLOYEE CERTIFICATION Compliance with PA Food Employee Certification Act (3Pa.CSASS§§6501-6510)

	CERTIFIED FOOD EMPLOYEE			CERTIFICATE			
56	IN	Certified Food Employee employed; acts as PIC; accessible	N/A	57	IN	Certified Food manager certificate: valid and properly displayed	N/A

IN = in compliance, OUT = not in compliance, N/O = not observed, N/A = not applicable

C = corrected on site, R = repeated

P.I.C. Signature

Sanitarian Signature

Laurence Tatter

ADNOR T	OWNHSIP			# Risk Factor Violations	DATE	02/24/17
801 IVEN AVENUE WAYNE, PA 19087				# Repeat Risk Factor Violations	TIME IN	02:00PM
AYNE, PA	A 19087			Overall Compliance Status	TIME OUT	03:20PM
od Facility		Address		City/State	Zîp	Phone #
	PIZZA HUT	1084 E. LANCA	ASTER AVENUE	ROSEMONT, PA		
gistration#		- International Control of the Contr		Purpose of Inspection (choose one)	License Type	Risk Category
FE0000	01233	RAENESHIA PERKINS, MA	NAGER	Routine	Retail	
			TEMPER	ATURE RECORDINGS		
	ITEM/LOCATI	ON	TEMF	ITEM/LO	CATION	TEMP
MA			40			
ATBALLS			41			
ZZA SAUCI	E		40			
ALIAN SAU	JSAGE		38			
CKLES			40			
OZEN TOP	DDINGS					
WZEN TOP	rraves .		-5		- Alexander	
			WAREV	VASHING FACILITIES		
				SANITIZER		PPM
Bay Sink						
				QUATS		N/O
Bay Sink	r			QUATS CHLORINE		N/O 75
Bay Sink Bay Sink ishwashe iping Cot						
Bay Sink ishwashe		0	RSEDVATION	CHLORINE QUATS		75
Bay Sink ishwashe Iiping Cot		0	BSERVATION:	QUATS S & CORRECTIVE ACTIONS		75
Bay Sink ishwashe iping Cot		0	BSERVATIONS	CHLORINE QUATS		75
Bay Sink ishwashe			BSERVATION:	QUATS S & CORRECTIVE ACTIONS		75
Bay Sink ishwashe 'iping Cot 'EM #	ths	LE NEEDS REPLACED.		QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT		75
Bay Sink ishwashe liping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA	LE NEEDS REPLACED. ALL/FLOOR COVING ALON		QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT		75
Bay Sink ishwashe iping Cot EM #	THE TOILET FLUSH HANDI	LE NEEDS REPLACED. ALL/FLOOR COVING ALON		QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT		75
Bay Sink ishwashe /iping Cot 'EM #	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA	LE NEEDS REPLACED. ALL/FLOOR COVING ALON		QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT		75
Bay Sink ishwashe liping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON E PIZZA HOOD	G THE FRONT WIN	QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT	E MAY, RESULT IN MORE SEF	75 200
Bay Sink ishwashe liping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON PIZZA HOOD E CORRECTED WITHIN 48	G THE FRONT WIN	CHLORINE QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT DOW. SPECIFIED OTHERWISE. NON-COMPLIANCE	E MAY, RESULT IN MORE SEF	75 200
Bay Sink shwashe iping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON PIZZA HOOD E CORRECTED WITHIN 48	G THE FRONT WIN	CHLORINE QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT DOW. SPECIFIED OTHERWISE. NON-COMPLIANCE	E MAY, RESULT IN MORE SEF	75 200
Bay Sink ishwashe liping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON PIZZA HOOD E CORRECTED WITHIN 48	G THE FRONT WIN	CHLORINE QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT DOW. SPECIFIED OTHERWISE. NON-COMPLIANCE	E MAY, RESULT IN MORE SEF	75 200
Bay Sink shwashe iping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON PIZZA HOOD E CORRECTED WITHIN 48	G THE FRONT WIN	CHLORINE QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT DOW. SPECIFIED OTHERWISE. NON-COMPLIANCE	E MAY, RESULT IN MORE SEF	75 200
Bay Sink ishwashe liping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON PIZZA HOOD E CORRECTED WITHIN 48	G THE FRONT WIN	CHLORINE QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT DOW. SPECIFIED OTHERWISE. NON-COMPLIANCE	E MAY, RESULT IN MORE SEF	75 200
Bay Sink ishwashe liping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON PIZZA HOOD E CORRECTED WITHIN 48	G THE FRONT WIN	CHLORINE QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT DOW. SPECIFIED OTHERWISE. NON-COMPLIANCE	E MAY, RESULT IN MORE SEF	75 200
Bay Sink ishwashe liping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON PIZZA HOOD E CORRECTED WITHIN 48	G THE FRONT WIN	CHLORINE QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT DOW. SPECIFIED OTHERWISE. NON-COMPLIANCE	E MAY, RESULT IN MORE SEF	75 200
Bay Sink shwashe iping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON PIZZA HOOD E CORRECTED WITHIN 48	G THE FRONT WIN	CHLORINE QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT DOW. SPECIFIED OTHERWISE. NON-COMPLIANCE	E MAY, RESULT IN MORE SEF	75 200
Bay Sink ishwashe liping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON PIZZA HOOD E CORRECTED WITHIN 48	G THE FRONT WIN	CHLORINE QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT DOW. SPECIFIED OTHERWISE. NON-COMPLIANCE		75 200
Bay Sink shwashe iping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON PIZZA HOOD E CORRECTED WITHIN 48	G THE FRONT WIN	CHLORINE QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT DOW. SPECIFIED OTHERWISE. NON-COMPLIANCE		75 200
Bay Sink shwashe iping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON PIZZA HOOD E CORRECTED WITHIN 48	G THE FRONT WIN	CHLORINE QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT DOW. SPECIFIED OTHERWISE. NON-COMPLIANCE		75 200
Bay Sink shwashe iping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON PIZZA HOOD E CORRECTED WITHIN 48	G THE FRONT WIN	CHLORINE QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT DOW. SPECIFIED OTHERWISE. NON-COMPLIANCE		75 200
Bay Sink ishwashe liping Cot	THE TOILET FLUSH HANDI REPLACE/REPAIR THE WA REPAIR THE LIGHT IN THE	LE NEEDS REPLACED. ALL/FLOOR COVING ALON PIZZA HOOD E CORRECTED WITHIN 48	G THE FRONT WIN	CHLORINE QUATS S & CORRECTIVE ACTIONS VIOLATION TEXT DOW. SPECIFIED OTHERWISE. NON-COMPLIANCE		75 200

Follow-up to be completed on sanitarian copy only

Warning Letter Requested

Prosecution Requested

Follow-up Date