## RETAIL FOOD FACILITY INSPECTION REPORT

RADNOR TOWNHSIP			# Risk Factor Violations	DATE	07/13/17
301 IVEN AVENUE		# Repeat Risk Factor Violations	TIME IN		
WAYNE, PA 1908	7		Overall Compliance Status	TIME OUT	
Food Facility Address Real pizza 1 West Avenu		Address	City/State Zip		Phone #
		Wayne/PA	19087		
Registration#	Owner		Purpose of Inspection (choose one)	License Type	Risk Category
FE0001297 Georgios Topalakis		Georgios Topalakis	Routine	Retail	Retail

## FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Risk Factors are important practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury.

Public Health interventions are control measures to prevent foodborne illness or injury.

		Demonstration of Knowledge				revent foodborne illness or injury.  Protection from Contamination	
		Demonstration of Knowledge				Protection from Contamination	
	OUT	Person in charge, demonstrates knowledge & performs duties Manager must post FOOD SAFETY inspection report.	N/A	14	IN	Food separated & protected	N/A
		Employee Health		15	IN	Food contact surfaces: cleaned and sanitized	N/A
	IN	Management, food employee & conditional employee; knowledge, responsibilities & reporting	N/A	16	IN	Proper disposition of returned, previously served, reconditioned and unsafe food.	N/A
	IN	Proper use of reporting; restriction & exclusion	N/A	17		Time/Temperature Control for Safety  Proper cooking time & temperature	
i c	IN	Procedures for responding to vomiting & diarrheal events	N/A	1	IN		N/A
		Good Hygienic Practices		18	IN	Proper reheating procedures for hot holding	N/A
	1N	Proper eating, tasting, drinking or tobacco use	N/A	19	IN	Proper cooling time & temperature	N/A
•	IN	No discharge from eyes, nose & mouth	N/A	20	IN	Proper hot holding & temperatures	N/A
		Preventing Contamination by Hands	T Y	21	IN	Proper cold holding & temperatures	N/A
'	IN	Hands clean & properly washed	N/A	22	IN	Proper data marking & disposition	N/A
	IN	No bare hand contact with RTE foods or pre-approved alternate method properly followed	N/A	23	IN	Time as a public health control: procedures & record	N/A
,	IN	Adequate handwashing sinks properly supplied and accessible	N/A			Consumer Advisory	
		Approved Source		24	IN	Consumer advisory provided for raw/undercooked foods	N/A
.0	IN	Food obtained from approved source	N/A			Highly Susceptible Population	
1	IN	Food received at proper temperature	N/A	25	IN	Pasteurized food used; prohibited foods not offered	N/A
2	IN	Food in good condition, safe & unadulterated	N/A			Food/Color Additives & Toxic Substances	
3	IN	Required records available, shellstock tags, parasite	N/A	26	IN	Food/Color additives: approved & properly used	N/A
			work at	27	IN	Toxic substances properly identified, stored & used	N/A
					1	Conformance with Approved Procedures	
	R	Reset Form		28	IN	Compliance with variance/specialized process/HACCP	N/A

## **GOOD RETAIL PRACTICES**

Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into food.

		Safe Food & Water				Proper Use of Utensils	
29	IN	Pasteurized eggs used where required	N/A	42	IN	In-Use utensils; properly stored	N/A
30	IN	Water & Ice from approved source	N/A	43	IN	Utensils, equipment & linens; properly stored, dried & handled	N/A
31	IN	Variance obtained for specialized processing methods	N/A	44	IN	Single-use/single-service articles: properly stored & used	N/A
		Food Temperature Control		45	IN	Gloves used properly	N/A
32	IN	Proper cooling methods used; adequate equipment for temperature control	N/A			Utensils, Equipment & Vending	
33	IN	Plant food properly cooked for hot holding	N/A	46	IN	Food & non-food contact surfaces cleanable, properly designed, constructed, & used	N/A
34	IN	Approved thawing methods used	N/A	47	IN	Warewashing facilities; installed, maintained & used; test	N/A
35	IN	Thermometers provided & accurate	N/A	48	IN	Non-food contact surfaces clean	N/A
		Food Identification				Physical Facilities	1 200
36	OUT	Food properly labeled; original container Label squeeze with its contents.	N/A	49	OUT	Hot & cold water available: adequate pressure  Temperature of hot water to be 80-110. Currently too hot at 147.	N/A
		Prevention of Food Contamination		50	IN	Plumbing installed: installed, maintained & used; test	N/A
37	IN	Insects, rodents, & animals not present	N/A	51	IN	Sewage & waste water properly disposed	N/A
38	оит	Contamination prevented during food preparation, storage & display  Discarded TCS foods that were time and temperature abused.	N/A	52	IN	Toilet facilities; properly constructed, supplied, cleaned	N/A
39	IN	Personal cleanliness	N/A	53	IN	Garbage & refuse properly disposed: facilities maintained	N/A
40	IN	Wipe clothes; properly used & stored	N/A	54	OUT	Physical facilities installed, maintained & clean Clean front windows and dust entrance lobby.	N/A
41.	IN	Washing fruits & vegetables	N/A	55	OUT	Adequate ventilation & lighting: designated areas used  Remove items from access to electrical panel.	N/A
		FOOD EMPLOYEE CERTIFICATION Compliance	e with P	A Foo	od Empl	oyee Certification Act (3Pa.CSASS§§6501-6510)	
		CERTIFIED FOOD EMPLOYEE				CERTIFICATE	

57

IN

N/A

IN = in compliance, OUT = not in compliance, N/O = not observed, N/A = not applicable

Certified Food Employee employed; acts as PIC; accessible

C = corrected on site, R = repeated

P.I.C. Signature

IN

Sanitarian Signature

N/A

Janus Folle

Certified Food manager certificate: valid and properly displayed

RADNOR T				the state of the s		
	OWNHSIP			# Risk Factor Violations	DATE	07/13/17
301 IVEN A				# Repeat Risk Factor Violations	TIME IN	
WAYNE, PA	A 19087			Overall Compliance Status	TIME OUT	
ood Facility		Address		City/State	Zip	Phone #
	Real pizza	1 V	lest Avenu	Wayne/PA	19087	
Registration#	Owner	-11-11-11-11-11-11-11-11-11-11-1		Purpose of Inspection (choose one)	License Type	Risk Category
FE000	01297	Georgios Topala	kis	Routine	Retail	Retail
			TEMPE	RATURE RECORDINGS		
	ITEM/LO	CATION	TEM	P ITEM/LO	OCATION	TEMP
PICKLES			40	Tomato sauce		150
Deli Meat			28			
Olives			38			
Cheese			50			
/lilk			54			
ausage			54			-
			WARE	WASHING FACILITIES		
				SANITIZER		PPM
3 Bay Sink				Chlorine		N/O
3 Bay Sink			Tue to the			
Dishwashe	er					
Niping Cot	ths			Chlorine		75
Wiping Cot	ths		ORSERVATION			75
	ths		OBSERVATION	S & CORRECTIVE ACTIONS		75
	ths		OBSERVATION			75
TEM#	Replace/repair floor tile		OBSERVATION	S & CORRECTIVE ACTIONS		75
TEM #			OBSERVATION	S & CORRECTIVE ACTIONS		75
TEM #			OBSERVATION	S & CORRECTIVE ACTIONS		75
<b>TEM #</b> 4	Replace/repair floor tile	that is damaged.		S & CORRECTIVE ACTIONS VIOLATION TEXT		
<b>TEM #</b> 4	Replace/repair floor tile	that is damaged.		S & CORRECTIVE ACTIONS	n accordance with applicable ADO	
<b>TEM #</b> 4	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	n accordance with applicable ADO	
<b>TEM #</b> 4	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	n accordance with applicable ADO	
<b>TEM #</b> 4	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	accordance with applicable ADO	
<b>TEM #</b> 4	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	n accordance with applicable ADO	
<b>TEM #</b> 4	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	n accordance with applicable ADO	
<b>TEM #</b> 4	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	n accordance with applicable ADO	
<b>TEM #</b> 4	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	n accordance with applicable ADO	
<b>TEM #</b>	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	n accordance with applicable ADO	
1 <b>TEM #</b>	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	n accordance with applicable ADO	
<b>TEM #</b>	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	n accordance with applicable ADO	
<b>TEM #</b>	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	n accordance with applicable ADO	
<b>TEM #</b>	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	accordance with applicable ADO	
<b>TEM #</b>	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	n accordance with applicable ADO	
Wiping Cot	Replace/repair floor tile	that is damaged.  I be corrected within 72 hours		S & CORRECTIVE ACTIONS VIOLATION TEXT	accordance with applicable ADO	

Warning Letter Requested

**Prosecution Requested** 

Follow-up Date